

# Accessibility declaration

Accessibility Declaration Model for website and mobile application  
for subjects referred to in art.3 paragraph 1-bis of Law No. 4 of 9  
January 2004

[Emilceramica S.r.l.](#) undertakes to make its website accessible, in accordance with law no. 4 of 9 January 2004 (“Legge Stanca”) published in the Gazzetta Ufficiale no. 13 of 17/01/2004 and subsequent Legislative Decree no. 106 of 10/08/2018, which implemented EU Directive 2016/2102 of the European Parliament and of the Council. This declaration of accessibility applies to the domain <https://eg.emilgroup.de>

## Compliance

**Partially compliant** in accordance with UNI CEI EN 301549:2022

This site is partially compliant with the requirements of Appendix A of standard UNI CEI EN 301549:2022 due to the cases of non-compliance listed below and better described in the relevant assessment model held by the provider.

## Non-accessible contents

Some contents are not accessible due to partial or incomplete non-compliance with the provisions of Appendix A of standard EN 301549:2022

- **C.9.1.3.1** - Info and relationships - *WCAG 1.3.1 level A*  
In some cases, information, structure, or relationships conveyed by the presentation cannot be determined programmatically or are not available through text;
- **C.9.1.3.5** - Identify Input Purpose - *WCAG 1.3.5 level AA*  
The purpose of some input fields for user information cannot be determined programmatically;
- **C.9.1.4.1** - Use of color - *WCAG 1.4.1 level A*  
In some cases, colour is used as the sole visual means of representing information, actions, requesting responses or as a visual distinguishing feature;
- **C.9.1.4.11** - Non-text contrast - *WCAG 1.4.11 level AA*  
In some cases, the visual presentation has a contrast ratio of less than 3:1 compared to adjacent colours;
- **C.9.2.4.1** - Bypass blocks - *WCAG 2.4.1 level A*  
There's no mechanism available to skip content blocks that are repeated on pages;
- **C.9.2.4.4** - Link purpose (in context) - *WCAG 2.4.4 level A*  
In some cases, the purpose of certain links cannot be determined solely from the text of the link or from the text of the link together with the contextual content;

## Accessibility declaration

---

- [C.9.2.4.5](#) - Multiple ways - WCAG 2.4.5 level AA  
There are no alternative ways to identify a page within a set of pages even when it is not the result or a step in an action;
- [C.9.3.2.2](#) - On Input - WCAG 3.2.2 level A  
In some cases, changing the settings of a user interface component causes a change in context without the user being informed;
- [C.9.3.3.1](#) - Error identification - WCAG 3.3.1 level A  
In some cases, when an input error is automatically detected, the item in error is not identified or the error is not described in text form;
- [C.9.3.3.2](#) - Labels or instructions - WCAG 3.3.2 level A  
In some cases, labels or instructions are not provided when the content requires user input actions;
- [C.9.3.3.3](#) - Error suggestion - WCAG 3.3.3 level AA  
In some cases, when an input error is detected and suggestions are known, the erroneous element is not identified and/or the error is not provided to the user;
- [C.9.4.1.2](#) - Name, role, value - WCAG 4.1.2 level A  
In some cases, the name or role of components cannot be determined programmatically; statuses, properties, and values that can be set by the user cannot be set by the program, or notifications about status changes are not available.
- [C.9.4.1.3](#) - Status messages - WCAG 4.1.3 level AA  
In some cases, status messages in markup content cannot be determined programmatically by role or property without receiving focus.

### Drafting the accessibility declaration

Date of drafting this declaration: [23/03/2026](#)

The information contained in this accessibility statement has been obtained from an assessment carried out by [third-party assessment](#) with [UNI 11621-3](#) qualifications, registration number [ECFPROFESSIONAL2025-000080](#), through objective and subjective analysis (see Article 3, paragraph 1, of Commission Implementing Decision EU 2018/1523).

Assessment methodology: [technical and manual assessment](#)

### Techniques used to verify criteria

A mix of automatic and semi-automatic validators promoted by the W3C, listed in the W3C Evaluation Tools List, were used. Assistive technologies such as screen readers, voice access, keyboard navigation and talkback, including NVDA, JAWS, ChromeVox, Amplificatore, Gboard, Voice Access, TalkBack, Accessibility Scanner, Switch access, VoiceOver and SpokenContent, were used.

A manual inspection was conducted with manipulation of the 'DOM' (Document Object Model) source code using DevTools, Web Developer toolbar, Lighthouse, Pagespeed, WebIAM, Siteimprove, A11y, AxeCore, Silktide inspector, AccessiWeb scanner, AccessiWeb API with AgilityPack, AccessiWeb Webserver, zoom, high contrast, rendering with 'Emulate vision deficiencies', verification of ARIA roles and attributes, markup semantics and parsing. Testing on different combinations of browsers, devices, resolutions, orientations and user agents for a total of 117 control techniques, which are described in more detail in the relevant assessment model held by the provider.

### Reporting and contact details

The provider provides the feedback mechanism to be used to notify cases of non-compliance and to request information and content that is excluded from the scope of the Directive. For this purpose, any complaints should be sent to:

[marketing@emilceramicagroup.it](mailto:marketing@emilceramicagroup.it)

### How to send reports to AgID

In the event of an unsatisfactory reply or failure to reply within thirty days to the notification or request, the person concerned may send a complaint using the link [www.agid.it](http://www.agid.it) or by writing to [protocollo@pec.agid.gov.it](mailto:protocollo@pec.agid.gov.it)

### Site information

Website publication date: [02/03/2026](#)

Usability test carried out: [YES](#)

CMS used for the website: [n.d.](#)

### Company information

Number of employees with disabilities present: [11](#)

Number of workstations for employees with disabilities: [0](#)

Last updated: [16/03/2026](#)

The Accessibility Declaration model for website and mobile application has been created in compliance with the Law “Provisions to favour and simplify the access of users and, in particular, of persons with disabilities to IT tools”, Law 9 January 2004, n.4 or “Legge Stanca” following the “Declaration of Accessibility model website and mobile application for the subjects referred to in Article 3 paragraph 1-bis of Law 9 January 2004, n.4” Annex 1.

**Source:** AGID | Agenzia per l'Italia Digitale

“Annex 1 to the guidelines on accessibility of IT tools”

